Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1600rkb

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page URLs for STN Seminar Schedule - N. America
NEWS 2		"Ask CAS" for self-help around the clock
NEWS 3	Jun 03	New e-mail delivery for search results now available
NEWS 4	Aug 08	PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 5	Aug 19	Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN
NEWS 6	Aug 26	Sequence searching in REGISTRY enhanced
NEWS 7	Sep 03	JAPIO has been reloaded and enhanced
NEWS 8	Sep 16	Experimental properties added to the REGISTRY file
NEWS 9	Sep 16	CA Section Thesaurus available in CAPLUS and CA
NEWS 10	Oct 01	CASREACT Enriched with Reactions from 1907 to 1985
NEWS 11	Oct 24	BEILSTEIN adds new search fields
NEWS 12	Oct 24	Nutraceuticals International (NUTRACEUT) now available on STN
NEWS 13	Nov 18	DKILIT has been renamed APOLLIT
NEWS 14	Nov 25	More calculated properties added to REGISTRY
NEWS 15	Dec 04	CSA files on STN
NEWS 16	Dec 17	PCTFULL now covers WP/PCT Applications from 1978 to date
NEWS 17	Dec 17	TOXCENTER enhanced with additional content
NEWS 18	Dec 17	Adis Clinical Trials Insight now available on STN
NEWS 19	Jan 29	Simultaneous left and right truncation added to COMPENDEX, ENERGY, INSPEC
NEWS 20	Feb 13	CANCERLIT is no longer being updated
NEWS 21	Feb 24	METADEX enhancements
NEWS 22	Feb 24	PCTGEN now available on STN
NEWS 23	Feb 24	TEMA now available on STN
NEWS 24	Feb 26	NTIS now allows simultaneous left and right truncation
NEWS 25	Feb 26	PCTFULL now contains images
NEWS 26	Mar 04	SDI PACKAGE for monthly delivery of multifile SDI results
NEWS 27	Mar 20	EVENTLINE will be removed from STN
NEWS 28	Mar 24	PATDPAFULL now available on STN
NEWS 29	Mar 24	Additional information for trade-named substances without structures available in REGISTRY
NEWS 30	Apr 11	Display formats in DGENE enhanced
NEWS 31	Apr 14	MEDLINE Reload
NEWS 32	Apr 17	Polymer searching in REGISTRY enhanced
NEWS 33	Jun 13	Indexing from 1947 to 1956 added to records in CA/CAPLUS
NEWS 34	Apr 21	New current-awareness alert (SDI) frequency in WPIDS/WPINDEX/WPIX
NEWS 35	Apr 28	RDISCLOSURE now available on STN
NEWS 36	May 05	Pharmacokinetic information and systematic chemical names added to PHAR
NEWS 37	May 15	MEDLINE file segment of TOXCENTER reloaded
NEWS 38	May 15	Supporter information for ENCOMPPAT and ENCOMPLIT updated
NEWS 39	May 16	CHEMREACT will be removed from STN
NEWS 40	May 19	Simultaneous left and right truncation added to WSCA
NEWS 41	May 19	RAPRA enhanced with new search field, simultaneous left and

```
                  right truncation
 NEWS 42  Jun 06  Simultaneous left and right truncation added to CBNB
 NEWS 43  Jun 06  PASCAL enhanced with additional data
 NEWS 44  Jun 20  2003 edition of the FSTA Thesaurus is now available
 NEWS 45  Jun 25  HSDB has been reloaded

 NEWS EXPRESS  April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT
               MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
               AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003
 NEWS HOURS    STN Operating Hours Plus Help Desk Availability
 NEWS INTER    General Internet Information
 NEWS LOGIN    Welcome Banner and News Items
 NEWS PHONE    Direct Dial and Telecommunication Network Access to STN
 NEWS WWW      CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

  All use of STN is subject to the provisions of the STN Customer
  agreement.  Please note that this agreement limits use to scientific
  research.  Use for software development or design or implementation
  of commercial gateways or other similar uses is prohibited and may
  result in loss of user privileges and other penalties.

  * * * * * * * * * * * * * * STN  Columbus  * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 14:54:19 ON 01 JUL 2003

=> file reg
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                     0.21       0.21

FILE 'REGISTRY' ENTERED AT 14:54:29 ON 01 JUL 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:   30 JUN 2003  HIGHEST RN 540462-79-1
DICTIONARY FILE UPDATES:  30 JUN 2003  HIGHEST RN 540462-79-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2003

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

Crossover limits have been increased.  See HELP CROSSOVER for details.

Experimental and calculated property data are now available.  See HELP
PROPERTIES for more information.  See STNote 27, Searching Properties
in the CAS Registry File, for complete details:
http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=> s irinotecan
L1            4 IRINOTECAN

=> d l1 fide

L1   ANSWER 1 OF 4  REGISTRY  COPYRIGHT 2003 ACS
```

RN 209370-55-8 REGISTRY
CN **DNA (rabbit carboxyl esterase Irinotecan-activating cDNA plus flanks) (9CI)** (CA INDEX NAME)
OTHER NAMES:
CN GenBank AF036930
FS NUCLEIC ACID SEQUENCE
MF Unspecified
CI MAN
SR GenBank
LC STN Files: CA, CAPLUS, GENBANK

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
*** USE 'SQD' OR 'SQIDE' FORMATS TO DISPLAY SEQUENCE ***
1 REFERENCES IN FILE CA (1957 TO DATE)
1 REFERENCES IN FILE CAPLUS (1957 TO DATE)

=> d l1 2-4 fide

L1 ANSWER 2 OF 4 REGISTRY COPYRIGHT 2003 ACS
RN 203173-72-2 REGISTRY
CN [1,4'-Bipiperidine]-1'-carboxylic acid, (4S)-4-ethyl-3,4,12,14-tetrahydro-4-hydroxy-3,14-dioxo-11-(trimethylsilyl)-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinolin-9-yl ester (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN [1,4'-Bipiperidine]-1'-carboxylic acid, 4-ethyl-3,4,12,14-tetrahydro-4-hydroxy-3,14-dioxo-11-(trimethylsilyl)-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinolin-9-yl ester, (S)-
OTHER NAMES:
CN **(20S)-7-(Trimethylsilyl)irinotecan**
FS STEREOSEARCH
MF C34 H42 N4 O6 Si
SR CA
LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL

Ring System Data

Elemental Analysis EA	Elemental Sequence ES	Size of the Rings SZ	Ring System Formula RF	Ring Identifier RID	RID Occurrence Count
C5N	NC5	6	C5N	46.156.1	2
C4N-C5N-C5N-C5O-C6	NC4-NC5-NC5-OC5-C6	5-6-6-6-6	C18N2O	7726.21.4	1

Absolute stereochemistry. Rotation (+).



Calculated Properties (CALC)

PROPERTY (CODE)	VALUE	CONDITION	NOTE
Bioconc. Factor (BCF)	1	pH 1	(1) ACD
Bioconc. Factor (BCF)	4.72	pH 4	(1) ACD
Bioconc. Factor (BCF)	35.2	pH 7	(1) ACD
Bioconc. Factor (BCF)	293	pH 8	(1) ACD
Bioconc. Factor (BCF)	4855	pH 10	(1) ACD
Boiling Point (BP)	850.7+/-65.0 deg C	760.0 Torr	(1) ACD
Enthalpy of Vap. (HVAP)	129.54+/-3.0 kJ/mol		(1) ACD
Flash Point (FP)	468.3+/-61.7 deg C		(1) ACD
H acceptors (HAC)	10		(1) ACD
H donors (HD)	1		(1) ACD
Koc (KOC)	1	pH 1	(1) ACD
Koc (KOC)	13.5	pH 4	(1) ACD
Koc (KOC)	101	pH 7	(1) ACD
Koc (KOC)	842	pH 8	(1) ACD
Koc (KOC)	13933	pH 10	(1) ACD
logD (LOGD)	0.57	pH 1	(1) ACD
logD (LOGD)	2.18	pH 4	(1) ACD
logD (LOGD)	3.05	pH 7	(1) ACD
logD (LOGD)	3.97	pH 8	(1) ACD
logD (LOGD)	5.19	pH 10	(1) ACD
logP (LOGP)	5.320+/-1.205		(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 1	(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 4	(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 7	(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 8	(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 10	(1) ACD
Molecular Weight (MW)	630.81		(1) ACD
pKa (PKA)	11.00+/-0.20	Most Acidic	(1) ACD
pKa (PKA)	9.33+/-0.20	Most Basic	(1) ACD
Vapor Pressure (VP)	8.75E-31 Torr	25.0 deg C	(1) ACD

(1) Calculated using Advanced Chemistry Development (ACD) Software Solaris V4.67 ((C) 1994-2003 ACD)

5 REFERENCES IN FILE CA (1957 TO DATE)
5 REFERENCES IN FILE CAPLUS (1957 TO DATE)

L1 ANSWER 3 OF 4 REGISTRY COPYRIGHT 2003 ACS
RN 100286-90-6 REGISTRY
CN [1,4'-Bipiperidine]-1'-carboxylic acid, (4S)-4,11-diethyl-3,4,12,14-tetrahydro-4-hydroxy-3,14-dioxo-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinolin-9-yl ester, monohydrochloride (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 1H-Pyrano[3',4':6,7]indolizino[1,2-b]quinoline, [1,4'-bipiperidine]-1'-carboxylic acid deriv.
CN [1,4'-Bipiperidine]-1'-carboxylic acid, 4,11-diethyl-3,4,12,14-tetrahydro-4-hydroxy-3,14-dioxo-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinolin-9-yl ester, monohydrochloride, (S)-
OTHER NAMES:
CN 7-Ethyl-10-[[4-(1-piperidyl)-1-piperidyl]carbonyloxy]camptothecin hydrochloride
CN Campto
CN Camptothecin 11
CN Camptothecin 11 hydrochloride
CN CPT 11
CN **Irinotecan hydrochloride**
CN Topotecin
CN U 101440E
FS STEREOSEARCH
DR 111348-33-5
MF C33 H38 N4 O6 . Cl H
SR CA
LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CBNB, CHEMCATS, CIN, CSCHEM, DDFU, DIOGENES, DRUGPAT, DRUGU, DRUGUPDATES, EMBASE, IPA, MEDLINE, MRCK*, PHAR, PHARMASEARCH, PROMT, RTECS*, SYNTHLINE, TOXCENTER, USPAT2, USPATFULL
(*File contains numerically searchable property data)
CRN (97682-44-5)

Ring System Data

Elemental Analysis EA	Elemental Sequence ES	Size of the Rings SZ	Ring System Formula RF	Ring Identifier RID	RID Occurrence Count
C5N	NC5	6	C5N	46.156.1	2
C4N-C5N-C5N-C5O-C6	NC4-NC5-NC5-OC5-C6	5-6-6-6-6	C18N2O	7726.21.4	1

Absolute stereochemistry. Rotation (+).

PAGE 1-A



PAGE 2-A

● HCl

494 REFERENCES IN FILE CA (1957 TO DATE)
6 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
495 REFERENCES IN FILE CAPLUS (1957 TO DATE)

L1 ANSWER 4 OF 4 REGISTRY COPYRIGHT 2003 ACS
RN 97682-44-5 REGISTRY
CN [1,4'-Bipiperidine]-1'-carboxylic acid, (4S)-4,11-diethyl-3,4,12,14-tetrahydro-4-hydroxy-3,14-dioxo-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinolin-9-yl ester (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 1H-Pyrano[3',4':6,7]indolizino[1,2-b]quinoline, [1,4'-bipiperidine]-1'-carboxylic acid deriv.
CN [1,4'-Bipiperidine]-1'-carboxylic acid, 4,11-diethyl-3,4,12,14-tetrahydro-4-hydroxy-3,14-dioxo-1H-pyrano[3',4':6,7]indolizino[1,2-b]quinolin-9-yl ester, (S)-
OTHER NAMES:
CN **(+)-Irinotecan**
CN Camptosar
CN **Irinotecan**
FS STEREOSEARCH
MF C33 H38 N4 O6
CI COM
SR CA
LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS, CA, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CIN, CSCHEM, DDFU, DIOGENES, DRUGNL, DRUGPAT, DRUGU, DRUGUPDATES, IPA, MRCK*, PROMT, RTECS*, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL
(*File contains numerically searchable property data)

Ring System Data

Elemental Analysis EA	Elemental Sequence ES	Size of the Rings SZ	Ring System Formula RF	Ring Identifier RID	RID Occurrence Count

C5N	NC5	6	C5N	46.156.1	2
C4N-C5N-C5N-	NC4-NC5-NC5-	5-6-6-6-6	C18N2O	7726.21.4	1
C5O-C6	OC5-C6				

Absolute stereochemistry. Rotation (+).



Calculated Properties (CALC)

PROPERTY (CODE)	VALUE	CONDITION	NOTE
Bioconc. Factor (BCF)	1	pH 1	(1) ACD
Bioconc. Factor (BCF)	1	pH 4	(1) ACD
Bioconc. Factor (BCF)	2.51	pH 7	(1) ACD
Bioconc. Factor (BCF)	20.9	pH 8	(1) ACD
Bioconc. Factor (BCF)	346	pH 10	(1) ACD
Boiling Point (BP)	873.4+/-65.0 deg C	760.0 Torr	(1) ACD
Enthalpy of Vap. (HVAP)	132.98+/-3.0 kJ/mol		(1) ACD
Flash Point (FP)	482.0+/-61.7 deg C		(1) ACD
H acceptors (HAC)	10		(1) ACD
H donors (HD)	1		(1) ACD
Koc (KOC)	1	pH 1	(1) ACD
Koc (KOC)	1.61	pH 4	(1) ACD
Koc (KOC)	15.2	pH 7	(1) ACD
Koc (KOC)	127	pH 8	(1) ACD
Koc (KOC)	2102	pH 10	(1) ACD
logD (LOGD)	-1.11	pH 1	(1) ACD
logD (LOGD)	0.57	pH 4	(1) ACD
logD (LOGD)	1.54	pH 7	(1) ACD
logD (LOGD)	2.46	pH 8	(1) ACD
logD (LOGD)	3.68	pH 10	(1) ACD
logP (LOGP)	3.809+/-0.628		(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 1	(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 4	(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 7	(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 8	(1) ACD
Molar Solubility (SLB.MOL)	<0.01 mol/L	pH 10	(1) ACD

Molecular Weight (MW)	586.68		(1) ACD
pKa (PKA)	11.00+/-0.20	Most Acidic	(1) ACD
pKa (PKA)	9.33+/-0.20	Most Basic	(1) ACD
Vapor Pressure (VP)	1.31E-32 Torr	25.0 deg C	(1) ACD

(1) Calculated using Advanced Chemistry Development (ACD) Software Solaris V4.67 ((C) 1994-2003 ACD)

659 REFERENCES IN FILE CA (1957 TO DATE)
17 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
662 REFERENCES IN FILE CAPLUS (1957 TO DATE)